IJAP *by* Zulhadjri Zulhadjri

Submission date: 17-Oct-2023 08:07AM (UTC+0800)

Submission ID: 2198029186

File name: IJAP_YAHDIAN_RASYADI_KASTURI_ORANGE_PEEL_OIL.pdf (729.66K)

Word count: 4920

Character count: 26240

KASTURI ORANGE PEEL (Citrus microcarpa Bunge) ESSENTIAL OIL: CHEMICAL PROFILE, FORMULATION AS ROLL ON AROMATHERAPY AND ITS EVALUATION

YAHDIAN RASYADI1*, WIDA NINGSIH1, WANDA PRANCA MULYA1, DINI HANIFA2

¹Pharmaceutical Technology Department In The Clinical Pharmacy Study Program, Faculty of Health S₁₀ nces, Baiturrahmah University, Padang, Indonesia

²Faculty of Pharmacy, Universitas Andalas, Padang, Indonesia

Email: yahdianrasyadi@gmail.com

ABSTRACT

Objective: Kasturi orange (*Citrus microcarpa* Bunge) is widely cultivated and consumed in Indonesia. The fruit's flesh is a good source of vitamin C. Essential oil of kasturi orange peel is one of the ingredients used as a raw material for aromatherapy roll-on preparations. Roll-on aromatherapy is currently widely used by various age groups. This research aims to determine the content of kasturi oil, its formulation as a roll-on aromatherapy preparation, and its physical syaluation.

Methods: The essential oil of kasturi orange peel wa 20 xtracted using the distillation method, and then the physicochemical properties were examined. The chemical content of the oil was analyzed using GC-MS. The roll-on aromatherapy preparation formulas were made by varying concentrations of kasturi oil, F0 (0%), F1 (4%), F2 (6%), and F3 (10%). Additional substances used were menthol, camphor, patchouli oil, and virgin coconut oil. Patchouli oil was used in this preparation to make the aroma last longer. Evaluation of roll-on aromatherapy preparations includes organoleptic tests, pH tests, specific gravity, viscosity, clarity, and stability.

Resul From the extraction results, the percentage yield of essential kasturi oil was 0.55% v/w, with a density of 0.850 g/mL and a refractive index of 1.469. From the chromatogram results, there were 18 compounds in kasturi oil; the largest component was D-limonene (32.59%). Physical evaluation results of all roll-on aromatherapy formulas had met the requirements.

Conclusion: From the chromatogram results, there were 18 compounds in kasturi oil, with the largest component were D-limonene (32.59%). Formula F3 had the best aroma intensity, approximately for 5 hours, with a slightly strong aroma, and physical evaluation results of all roll-on aromatherapy formulas had met the requirements.

Keywords: Roll on, aromatherapy, kasturi oil, Citrus microcarpa Bunge, kasturi orange peel.

INTRODUCTION

Essential oils, commonly called volatile oils, are substances that evaporate easily and have a distinctive aroma. They are insoluble in water and contain organic compounds and natural extracts from plant species from leaves, flowers, wood, seeds, and even pistils. At least 150 types of essential oils are raded on the world market, and 40 varieties are produced in Indonesia. Even though many kinds of essential oils are produced in Indonesia, only a few have been developed [1]. Essential oils have many uses, depending on the type of plant from which they are distilled. Generally, essential oils are used as raw materials for flavors and fragrances. The pharmaceutical

industry uses it as an analgesic, anti-infective, and bacteria killer. Essential oils are used as fragrances to cover the unpleasant odors of other ingredients and also insecticides [2].

Kasturi orange is a plant from the Rutacea family that can be extracted into essential oil. Kasturi oranges are widely distributed throughout Southeast Asia, including Indonesia. This plant is commonly cultivated in North and West Sumatra. It is beneficial for the pharmaceutical and cosmetics industries because it contains high levels of secondary metabolism, flavonoids, vitamin C, and antioxidants [3].

The main ingredients contained in the essential oil of kasturi orange peel are D-limonene, (R)-(+)-citronellal, 3-32 propenyl-5,5-dimethyl-cyclopentene, γ -terpinene, citronellol, and α -terpineol. D-limonene is a monoterpene found in many essential oils reported to have antimicrobial activity. D-limonene has also been used in the manufacture of many products, such as cosmetics and food. The D-limonene compound has quite low toxicity. D-limonene is not mutagenic, carcinogenic, or nephrotoxic in humans. Kasturi orange peel oil extracted with N-hexane and dichloromethane will produce aromatic compounds [4].

Aromatherapy is a form of alternative medicine that utilizes plant volatiles, also known as essential oils, which aim to improve mood, health, and cognitive function. Apart from that, aromatherapy is made from various plant extracts, such as flowers, leaves, wood, plant roots, bark, and other parts of plants, with different manufacturing methods according to their respective uses and functions [5]. Various essential oils have been researched and found to be effective as a mild sedative that calms the central nervous system, which helps overcome insomnia, especially those caused by stress, anxiety, tension, and depression [6].

One of the components used in making aromatherapy preparations is a fixative such as Patchouli Oil (*Pogoestemon cablin* Benth). Patchouli oil contains several compounds, including buenesen, benzaldehyde, patchouli alcohol, patchoulien, and ariophyllene. The patchouli alcohol content in patchouli oil can be used as a fixative agent (binding agent), which is useful for the pharmaceutical industry in manufacturing medicines, cosmetic products, and others. If the patchouli alcohol content is higher, the higher lity of the patchouli oil is produced [7]. Based on research conducted by Humaira et al. (2022), the best concentration of patchouli oil as a fixative in the preparation of air freshener gel is with a concentration of 3% and a concentration of coffee oil with a concentration of 5% [8]. Siahaan et al. (2014) also used patchouli oil as a base note, where the mixture of lemongrass and ylang-ylang oil can reduce stress levels in healthy women. In this research, the essential oil of kasturi orange peel was formulated into a roll-on preparation by adding patchouli oil as a fixative [9]. The preparation was then evaluated for its physical properties, including organoleptic, pH, viscosity, specific gravity, stability, and aroma intensity test [10].

MATERIALS AND METHODS

Materials

12

Kasturi oranges were obtained from the Tunggul Hitam area, Padang City, Indonesia. The materials used in this study were camphor, menthol, patchouli oil, and virgin coconut oil.

Extraction Of Essential Oil Kasturi Orange Peel

The extraction process for essential oil of kasturi orange peel was carried out using water-steam distillation. The material used in this research was fresh kasturi orange (*Citrus microcarpa* Bunge). Kasturi orange was cleaned, and the peel was removed. Kasturi orange peel was weighed using an analytical balance (Kern®). Steam distillation was done to separate essential oils from

kasturi orange peel. A distillation kettle was filled with water until the water surface was not far below the filter. Kasturi orange peel samples were put into a kettle with a certain weight. The boiler was closed tightly and connected to a condenser, adapter, and reservoir. The distillation kettle was heated until all the essential oil had been distilled. The essential oil in the distillate was separated from the water in a separating funnel (Duran®) [11].

Measurement of Kasturi Oil Yield

The separated kasturi essential oil was transferred to a vial, and the percent yield was calculated. The yield value is the mass ratio between the essential kasturi oil produced and the mass of kasturi orange peel [12]. The yield was calculated using equation (1).

$$\% \ Yield = \frac{\text{Weight of distilled kasturi orange peel oil (g)}}{\text{Weight of kasturi orange peel used (g)}} \ x \ 100\% \ \dots \ (1)$$

Density Testing

The pycnometer was cleaned, dried, and then weighed. After that, the essential oil of kasturi orange peel was added and then weighed again [13]. Determination of the density of essential oil of kasturi orange peel was calculated using equation (2).

$$Density = \frac{\text{mass of kasturi oil sample in pycnometer}}{\text{volume of kasturi oil sample in pycnometer}} \dots (2)$$

Refractive Index Testing

Refractive index measurement was carried out using a refractometer (Abbe). This method is based on a direct measure of the angle of refraction in oil maintained at constant temperature conditions. Water flows through the refractometer so the instrument is at the temperature at which the reading was taken. Before kasturi oil was placed in the tool, it had to be at the same temperature, and the measurements were taken when the temperature was stable [14].

Solubility Testing

The solubility of kasturi orange peel essential oil in alcohol is the solubility of the oil in alcohol at a specific concentration, expressed in a ratio. Solubility in alcohol was tested by mixing 1 ml of kasturi orange peel essential oil with 70% alcohol at a certain concentration until a clear solution formed [15].

Analysis of Chemical Compounds

Chemical compounds in kasturi peel essential oil was analyzed using Gas Chromatography-Mass Spectrometry (Shimadzu GC-MS-QP2010 Ultra). The sample was injected with 1 μL volume at 250 °C (split ratio 200, helium with linear velocity 26.9 cm/sec as carrier gas). The GC oven temperature program started at 60 °C held for 5 min, then to 150 °C at a rate of 10 °C·min⁻¹, then to 250 °C at a rate of 10 °C·min⁻¹, and was held for 3 min. The MS operational conditions were: ion source temperature 220 °C, interference temperature 270 °C, and scanning 35–500 m/z [16].

Kasturi Oil Roll-On Aromatherapy Formulation

Each ingredient as listed in **Table 1**, was weighed. Camphor and menthol were added into a mortar and ground until smooth. The ingredients were put in an erlenmeyer flask with a glass stopper and stirred until it dissolved. Each essential oil concentration was added to formulas F0, F1, F2, and

F3. VCO was added to 100 mL of the erlenmeyer flask and stirred until homogenous. After that, the preparations were put into a calibrated 10 mL roll-on bottle.

Table 1. Roll On Aromatherapy Formulas From Kasturi Orange Peel Essential Oil

		Concentr	ation (%)		Tina		
Composition	F0	F1	F2	F3	Use		
Kasturi Orange							
Peel Essential	0	4	4	6	10	Active substance	
Oil							
Menthol	40	40	40	40	Anti-irritant and Corigentia odoris		
Camphora	5	5	5	5	Anti-irritant		
Patchouli oil	_ 3	3	3	3	Binding		
Viirgin Coconut	ad 100	ad 100	ad 100	ad 100	Oil Base		
Oil	au 100	au 100	au 100	au 100	Oli Base		

Evaluation of The Physical Properties Of Kasturi Oil Roll-On Aromatherapy

Organoleptic tests



The tests were carried out by observing the physical appearance of the preparation, including shape, color, and smell [17].

23

pH Measurement



The pH tests were carried out using a pH meter (Orion Star [18]). Before use, the pH meter was calibrated with pH 4, pH 7, and pH 10 buffer solution. 50 mL of the preparation was put into a beaker glass. The pH meter was immersed and left until the pH value was read on the instrument [18].

Density Testing

Density testing uses a pycnometer with a volume of 10 mL. The pycnometer was cleaned and dried. The empty pycnometer was weighed, then the sample was added, and the pycnometer was closed until there were no air bubbles, then weighed. [10].

Viscosity Testing

The 19 cosity test was carried out using a Brookfield viscometer (Atago[®]). 15 mL of the sample was put into a beaker glass. A3 spindle was installed and lowered until immersed in the sample. The spindle rotation speed was set to 250 rpm. The viscosity of the sample was read on the viscometer [19].

Clarity Testing

The aromatherapy roll-on clarity test was carried out by visually observing the preparation in a test tube on a black background. The presence of particles and sediments in the preparations were observed. The preparation is homogeneous when there are no solid particles [20].

Accelerated Stability Testing



The accelerated stability test of roll-on aromatherapy preparations was carried out using the freezeand-thaw method. The freeze-thaw cycle for roll-on aromatherapy preparations was stored at 5°C for the first 12 hours and 35°C for the next 12 hours, carried out in 6 cycles. The aromatherapy roll-on control preparation was stored at 25°C [21].

Aroma Intensity

The aromatherapy roll-on was applied to the test paper, and then the remaining aroma was assessed every hour for 9 hours. Each formula was given a score: very strong (score 4), strong (score 3), weak (score 2), and very weak (score 1) at every hour [22].

RESULTS

Measurement of Kasturi Oil Yield

The yield of essential oil of kasturi orange peel obtained from the extraction results can be seen in **Table 2**.

Table 2. The Percentage Yield of Kasturi Orange Peel Essential Oil

Sample weight (g)	Weight of essential oil obtained (ml)	Percentage yield
27 905.28	154.3	0.55 %v/w

Examination of the Physicochemical Properties of Kasturi Orange Peel Essential Oil

The results of examining the physicochemical properties of kasturi orange peel essential oil can be seen in **Table 3**.

Table 3. Physicochemical Properties of Kasturi Orange Peel Essential Oil

Properties	Value
Density	0.850 g/mL
Refractive Index	1.469
Solubility in alcohol	1:1

31

Analysis of Chemical Compounds In Kasturi Orange Peel Essential Oil

The results of the chromatogram of kasturi orange peel essential oil components can be seen in **Figure 1.** There are 18 chemical compounds in kasturi orange peel essential oil (**Table 4**).




Figure 1. GC-MS Chromatogram of Components Kasturi Orange Peel Essential Oil

 Table 4. Kasturi Orange Peel Essential Oil Compounds

No	Retention time	Compound	Area %
1	8.694	α-Pinene	1.86
2	9.654	Sabinene (β-Thujene)	5.77
3	9.831	L-β-Pinene	12.52
4	9.955	β-Myrcene	1.99
5	10.296	Octanal	2.06
6	10.619	δ-Carene	1.21
7	11.029	D-Limonene	32.59
8	11.183	β-cis-Ocimene	0.23
9	11.475	γ Terpinene	2.25
10	11.719	1-Octanol	1.45
11	12.002	p-Mentha-1,8-diene	1.27
12	12.289	β-Linalool	2.69
13	13.218	(R)-(+)-Citronellal	8.49
14	13.455	Isopulegol	1.21
15	13.864	1-Terpinenol	10.49
16	14.104	α-Terpineol	7.13
17	14.490	(R)-(+)-Citronellal	4.08
18	20.078	α-Farnesene	2.71
			100.00

Evaluation of The Physical Properties of Kasturi Orange Roll-On Aromatherapy anoleptic Tests

The results of the organoleptic test roll-on aromatherapy preparations of kasturi orange peel essential oil are shown in **Table 5**. The results of the organoleptic evaluation of the preparations showed that roll-on aromatherapy was in the form of a liquid, yellow in color (transparent), with a weak to strong aroma of kasturi orange peel oil (F1, F2, and F3). The higher concentration of kasturi orange oil in the formula, the stronger the scent of kasturi orange oil, as shown by F3.

Table 5. Organoleptic Test Of Kasturi Orange Oil Roll-On Aromatherapy Preparation

Formula	Parameters -	O	bservation d	uring the da	y-
Formula	rarameters	0	7	14	21
	Shape	Liquid	Liquid	Liquid	Liquid
F0	Smell	one	none	none	none
10	Color	Clear,	Clear,	Clear,	Clear,
	Coloi	yellow	yellow	yellow	yellow
	Shape	Liquid	Liquid	Liquid	Liquid
	Smell	kasturi	kasturi	kasturi	kasturi
F1	Silicii	aroma	goma	aroma	aroma
	Color	Clear,	Clear,	Clear,	Clear,
	Coloi	yellow	yellow	yellow	yellow
F2	Shape	Liquid	Liquid	Liquid	Liquid

Small	Smell kasturi ka		kasturi	kasturi
Silicii	groma	aroma	aroma	aroma
Calar	Clear,	Clear,	Clear,	Clear,
Coloi	yellow	yellow	yellow	yellow
Shape	Liquid Liquid		Liquid	Liquid
Smell	kasturi	kasturi	kasturi	kasturi
	groma	aroma	aroma	aroma
Color	Clear,	Clear,	Clear,	Clear,
	yellow	yellow	yellow	yellow
Shape	Liquid	Liquid	Liquid	Liquid
Small	Distinctive	Distinctive	Distinctive	Distinctive
Silicii	28)ma	aroma	aroma	aroma
Color	Clear,	Clear,	Clear,	Clear,
Color	colorless	colorless	colorless	colorless
	Smell Color	Color Clear, yellow Shape Liquid Smell Smell Color Shape Clear, yellow Clear, yellow Clear, yellow Shape Liquid Distinctive Smell Color Color Clear, Color Clear, Color Clear, Color Clear, Color Clear,	Color Clear, yellow yellow Shape Liquid Liquid Smell Smell Smell Clear, yellow yellow Color Clear, Clear, Clear, yellow yellow Shape Liquid Liquid Smell Distinctive Distinctive 28 ma aroma Color Clear, Clear,	Color Clear, Clear, Clear, yellow yellow Shape Liquid Liquid Liquid Liquid Liquid Liquid Liquid Liquid Color Clear, Clear, kasturi kasturi aroma Color Color

pH Measurement

pH test results of roll-on aromatherapy kasturi orange oil using a pH meter on days 0, 7, 14, and 21 are shown in **Table 6**.

Table 6. pH Test Results of Kasturi Orange Oil Roll-On Aromatherapy

Table 6. pri rest results of reastern Grange on Ron on Anomatherapy							
Observation Day-	F0	F1	F2	F3	Comparator formulations		
0	5,11	5,39	5,42	5,36	5,05		
U	$\pm 0,020$	$\pm 0,023$	$\pm 0,037$	$\pm 0,011$	$\pm 0,08$		
7	5,11	5,37	5,39	5,35	4,92		
/	$\pm 0,000$	$\pm 0,000$	$\pm 0,005$	$\pm 1,087$	$\pm 0,032$		
1.4	5,10	5,37	5,39	5,35	4,56		
14	$\pm 0,005$	$\pm 0,000$	$\pm 0,000$	$\pm 1,087$	$\pm 0,242$		
21	5,1	5,37	5,39	5,35	4,82		
21	$\pm 0,000$	$\pm 0,000$	$\pm 0,000$	$\pm 1,087$	$\pm 0,052$		

Density test

Density test results from roll-on aromatherapy kasturi orange for formula F0, F1, F2, F3, and comparator preparations were respectively 0.922 g/mL; 0.901 g/mL; 0.919 g/mL; 0.912 g/mL; and 0.901 g/mL.

Viscosity test

Viscosity test
The viscosity test was carried out using a Brookfield viscometer. The results for formulas F0, F1, F2, F3, and the comparator formulations were respectively 25.15 cP; 28.56 cP; 28.99 cP; 31.55 cP; and 22.59 cP.

Clarity test

The clarity test results showed that the comparator formulations and all formulas were clear, with no particles or sediment (Figure 2).




Figure 2. Clarity test results of roll-on aromatherapy kasturi orange peel oil

Accelerated stability test 4

The result of the accelerated stability test carried out using the freeze and thaw cycling method is shown in **Table 7.**

Table 7. Accelerated stability tests

Formula	Parameters	Accelerated s	tability tests	
rormuia	rarameters	Before	After	
	Shape	Liquid	Liquid	
F0	Smell	none	none	
_	Color	Clear, yellow	Clear, yellow	
	Shape	Liquid	Liquid	
F1	Smell	kasturi aroma	kasturi aroma	
	Color	Clear, yellow	Clear, yellow	
	Shape	Liquid	Liquid	
F2	Smell	kasturi aroma	kasturi aroma	
_	Color	Clear, yellow	Clear, yellow	
	Shape	Liquid	Liquid	
F3	Smell	kasturi aroma	kasturi aroma	
_	Color	Clear, yellow	Clear, yellow	
C	Shape	Liquid	Liquid	
Comparator - formulation -	Smell	Distinctive aroma	Distinctive aroma	
ioiiiuiatioii -	Color	Clear, colorless	Clear, colorless	

Aroma Intensity

The aroma intensity test showed that the F3 formula provides a longer aroma compared to the other formulas of kasturi orange oil roll-on aromatherapy (**Table 8**).

Table 8. Aroma Intensity Test of Kasturi Orange Oil Roll-On Aromatherapy

Formula			•	The arou	na durin	g the ho	ur-		
Formula	1	2	3	4	5	38 6	7	8	9
F0	none	none	none	none	none	none	none	none	none

					8				
F1	Strong	Strong	Strong	Strong	Weak	Weak	Weak	Weak	Weak
F2	Strong	Strong	Strong	Strong	Weak	Weak	Weak	Weak	Weak
F3	Strong	Strong	Strong	Strong	Strong	Weak	Weak	Weak	Weak
Comparator	Strong	Strong	Strong	Strong	Strong	Weak	Weak	Weak	Weak
formulation									

DISCUSSION

Examination of the Physicochemical Properties of Kasturi Orange Peel Essential Oil

The essential oils obtained were stored in tightly closed brown glass bottles and in the refrigerator to minimize changes in each essential oil's physical and chemical properties due to the parage environment. Apart from that, the length of time essential oils are stored can also change the physical and chemical properties of essential oils [23]. In Palma's (2019) research, kasturi orange peel oil yield was 0.7% w/w with steam distillation at a temperature of 100° C for 1 hour. According to previous research, extraction time can affect the efficiency of the extraction process and the yield obtained [24].

The kasturi orange peel oil density was 0.850 g/ml in this research. Previous research also reported a similar description value of *Citrus microcarpa* Bunge peel essential oils, which was 0.889 g/m1125]. Density value is also an important parameter in determining the quality and purity of oil. The greater the density of the essential oil indicates the more chemical components contained in the essential oil.

The refractive index is the plio of the sine of the angle of incidence to the angle of refraction at a specific temperature. The more long-chain compounds such as sesquiterpenes or oxygen group components are distilled, the density of the essential oil will increase, and the incoming light will be more difficult to refract. It causes the oil's refractive index to be greater. On the other hand, the presence of water causes the index value to become smaller dues of the nature of water, which easily refracts incoming light. Refractive index determination is carried out to determine the presence of water in the oil content. The more water content in the essential oil, the smaller the refractive index value is [26]. The average result of 33 termining the refractive index was 1.696. The greater the level of purity of an essential oil. The level of purity of an essential oil indicates the quality of the essential oil [25].

Analysis of Compounds Kasturi Orange Peel Essential Oil

The main components of kasturi orange pecso oil are D-limonene (32.59%), Bicyclo[3.1.1]heptane,6,6-dimethyl-2-methylene-,(1S)- (12.52%), 3-cyclohexen-1 -ol, 4-methyl-1-(methylene) (10.49%), 37 Octenal, 3,7-dimethyl-,(R)- (8.49%). Previous researches research also shows that the composition of the compound most commonly found in kasturi orange essential oil is D-limonene. Other compounds that are also present include monoterpenes, sesquiterpenes, alkanes, and aldehydes [24,25].

Evaluation of The Physical Properties of Kasturi Orange Peel Oil Roll-On Aromatherapy Organoleptic Tests

There was no change in organoleptic test of kasturi orange peel oil roll on aromatherapy from week 0 to week 4 at F0, F1, F2, and F3. The color produced in F0 was clear yellow, F1 was clear yellow, F2 was clear yellow, and F3 was clear yellow. The smell of F0 had a typical no odor, while F1, F2, and F3 had a kasturi smell. All formulas had a liquid consistency. The color difference of the roll-on preparation occurs due to differences in the concentration of kasturi orange

11

peel essential oil used. The higher the essential oil concentration, the more intense the yellow color in the liquid preparation.

pH Measurement

The results of pH measurement of the preparation using a pH meter show that all roll-on aromatherapy formulas had a range pH of 5.10 to 5.42. Comparator formulations had a range of pH of 4.82 to 5.05. During storage, there was an increase in the roll-on aromatherapy preparation, but it was still in the range appropriate 13 the pH of the skin, 4-6. Topical preparations are expected to have a normal skin pH because if it is too alkaline, it will result in scaly skin. In contrast, if it is too acidic, it can trigger skin irritation [27].

Density test

The density test shows that the F3 roll-on preparation has the lowest density, but the difference is insignificant from the other formulas. It may be influenced by the concentration of kasturi orange peel oil [10].

Viscosity Test

The results showed that the viscosity of the kasturi orange peel oil roll on aromatherapy preparation ranged from 25.15 31.55 cP, and the comparator product was 22.59 cP. Viscosity tests on liquid preparations were carried out to determine the flow properties of the preparation. The viscosity of a preparation can also affect 30 adhesion and spreadability of the topical preparation on the skin. Suppose the preparation can spread and adhere well to the skin. In that case, the active substance of the preparation can be distributed and delivered to the skin surface constantly to provide a good and optimal therapeutic effect [28].

Clarity Test

The clarity test aims to see the presence of undissolved particles or sediment in the aromatherapy roll-on preparation. In this study, all preparations had good clarity. There were no sediments, particles, or coarse grains that were visible when the clarity test was carried out. The preparation is said to be clear if there are no floating particles. It must be completely free from small particles seen with the eye with strong transmitted light [20].

Accelerated stability testing

Roll-on aromatherapy preparations that have been formulated were tested for accelerated stability, and then the results before and after were compared. After the preparations had been stored for six cycles, no organoleptic changes occurred in the four formulas and comparison preparations. If the preparation does not change before and after the stability test, the preparation is stable at any temperature. This stability test can also be used to determine the shelf life of the preparation [21].

Aroma Intensity

The three formulas had almost the same aroma lasting properties for approximately 5 hours. The formula that had low aroma resistance is F0. Formulas 1 and 2 had an aroma lasting power of approximately 4 hours with the same treatment under room conditions and temperature. The formula that had high aroma resistance was F3. All formulas used 3 ml of patchouli oil, which could affect the persistence of the kasturi orange peel oil aroma because patchouli oil has good fixation or aroma binding ability. The formula is F0 as a blank and did not have the scent of kasturi

orange peel oil because there were no active ingredients, so the evaporation is faster than other formulas [22].

CONCLUSION

From the chromatogram results, there were 18 compounds in kasturi oil, with the largest component was D-limonene (32.59%), formula F3 had the best aroma intensity, approximately for 5 hours, with a slightly strong aroma, and physical evaluation results of all roll-on aromatherapy formulas had met the requirements.

ACKNOWLEDGMENTS



We would like to thank Baiturrahmah University for providing facilities for this research.

CONFLICT OF INTEREST

The authors declare no conflict of interest.

REFERENCES

- [1]. Alighiri D, Eden WT, Supardi KI, Masturi, Purwinarko A. Potential Development Essential Oil Production of Central Java, Indonesia. J Phys Conf Ser. 2017;824(1):012021.
- [2]. Herman RA, Ayepa E, Shittu S, Fometu SS, Wang J. Essential Oils and Their Applications-A Mini Review. Advances in Nutrition & Food Science. 2019;4(4).
- [3]. Venkatachalam K, Charoenphun N, Srean P, Yuvanatemiya V, Pipatpanukul C, Pakeechai K, et al. Phytochemicals, Bioactive Properties and Commercial Potential of Calamondin (Citrofortunella microcarpa) Fruits: A Review. Molecules 2023, Vol 28, Page 3401. 2023;28(8):3401.
- [4]. Othman HI Al, Alkatib HH, Zaid A, Sasidharan S, Rahiman SSF, Lee TP, et al. Phytochemical Composition, Antioxidant and Antiproliferative Activities of Citrus hystrix, Citrus limon, Citrus pyriformis, and Citrus microcarpa Leaf Essential Oils against Human Cervical Cancer Cell Line. Plants (Basel). 2022;12(1).
- [5]. Reddy DN. Essential oils extracted from medicinal plants and their applications. Natural Bio-active Compounds: Volume 1: Production and Applications. 2019;237–83.
- [6]. Bolouri P, Salami R, Kouhi S, Kordi M, Asgari Lajayer B, Hadian J, et al. Applications of Essential Oils and Plant Extracts in Different Industries. Molecules. 2022;27(24).
- [7]. Zahra SS, Nayik GA, Khalida T. Patchouli essential oil. Essential Oils: Extraction, Characterization and Applications. 2023;429–57.
- [8]. Humaira Z, Suryani, Munawar. Pembuatan Gel Pengharum Ruangan Menggunakan Karagenan Dan Xanthan Gum Dengan Minyak Nilam Sebagai Fiksatif Dan Minyak Kopi Sebagai Pewangi. Jurnal Riset, Inovasi, Teknologi & Terapan. 2022;1(2):44–7.
- [9]. Siahaan RSN, Budi T, Rahardjo W, Ranti AS. Effectiveness of Indonesian Essential Oil Mixture of Lemongrass, Cananga, and Patchouli in Relaxation through Inhalation: A Clinical Test on Healthy Woman with High Potential for Stress. Health Res. 2014;18(3):143.
- [10]. Rusdianto AS, Wiyono AE, Fiana FH. Aromatherapy Oil Massage Formulation from Essential Oil: Tuberose Flower (Polianthes Tuberosa) and Lime Oil (Citrus Aurantifolia). International Journal on Food, Agriculture and Natural Resources. 2020;1(2):21–7.

- [11]. Božović M, Navarra A, Garzoli S, Pepi F, Ragno R. Esential oils extraction: a 24-hour steam distillation systematic methodology. Nat Prod Res. 2017;31(20):2387–96.
- [12]. Samadi M, Zainal Abidin Z, Yoshida H, Yunus R, Awang Biak DR. Towards Higher Oil Yield and Quality of Essential Oil Extracted from Aquilaria malaccensis Wood via the Subcritical Technique. Molecules 2020, Vol 25, Page 3872. 2020;25(17):3872.
- [13]. Ifeanyichukwu E, Onoriode SO. Determining the Physicochemical Properties of Lemongrass oil Extract for Suitability in Various Applications. Journal of Nutrition and Food Processing. 2023;6(2).
- [14]. Kolani L, Nadio NA, Bokobana EM, Koba K, Raynaud C, Sanda K, et al. Physico-Chemical Attributes of Essential Oil from Zingiber officinale Roscoe and Zingiber zerumbet (L.) Smith Cultivars Grown in Togo. Am J Plant Sci. 2022;13(11):1360–72.
- [15]. Alam PN, Husin H, Asnawi TM, Adisalamun. Extraction of citral oil from lemongrass (Cymbopogon Citratus) by steam-water distillation technique. IOP Conf Ser Mater Sci Eng. 2018;345(1):012022.
- [16]. Łyczko J, Kiełtyka-Dadasiewicz A, Skrzyński M, Klisiewicz K, Szumny A. Chemistry behind quality – The usability of herbs and spices essential oils analysis in light of sensory studies. Food Chem. 2023;411:135537.
- [17]. Agapin JS. Physico-Chemical Characterization of Essential Oil From Peel and Leaf of Dalanghita (Citrus Nobilis). International Journal of Novel Research in Physics Chemistry & Mathematics. 2017;4(2).
- [18]. Sedlaříková J, Doležalová M, Egner P, Pavlačková J, Krejčí J, Rudolf O, et al. Effect of Oregano and Marjoram Essential Oils on the Physical and Antimicrobial Properties of Chitosan Based Systems. Int J Polym Sci. 2017;2017.
- [19]. Farouk A, Hathout AS, Amer MM, Hussain OA, Fouzy ASM. The Impact of Nanoencapsulation on Volatile Constituents of Citrus sinesis L. Essential Oil and their Antifungal Activity. Egypt J Chem. 2022;65(3):527–38.
- [20]. Sukamdi DP, Kurniawan MF, Damarwati VL. Formula Optimization of Antimicrobial Hand Sanitizer With Lemongrass Essential Oil. Proceedings of the 4th International Conference on Sustainable Innovation 2020–Health Science and Nursing (ICoSIHSN 2020). 2021;33:353–6.
- [21]. Bernal-Chávez SA, Romero-Montero A, Hernández-Parra H, Peña-Corona SI, Del Prado-Audelo ML, Alcalá-Alcalá S, et al. Enhancing chemical and physical stability of pharmaceuticals using freeze-thaw method: challenges and opportunities for process optimization through quality by design approach. J Biol Eng. 2023;17(1).
- [22]. Hoven L, Megaritis T, Bakker A, Durand M, Kangas P, Sanchez A, et al. Odour management guidance for refineries. Brussels; 2020.
- [23]. Sharmeen JB, Mahomoodally FM, Zengin G, Maggi F. Essential Oils as Natural Sources of Fragrance Compounds for Cosmetics and Cosmeceuticals. Molecules. 2021;26(3).
- [24]. Palma CE, Cruz PS, Cruz DTC, Bugayong AMS, Castillo AL. Chemical composition and cytotoxicity of Philippine calamansi essential oil. Ind Crops Prod. 2019;128:108–14.
- [25]. Husni E, Yeni F, Dachriyanus. Chemical Contents Profile of Essential Oil from Calamansi (Citrus microcarpa Bunge) Peels and Leaves and Its Antibacterial Activities. Proceedings of the 2nd International Conference on Contemporary Science and Clinical Pharmacy 2021 (ICCSCP 2021). 2021;40:314–22.

- [26]. Davis JP, Sweigart DS, Price KM, Dean LL, Sanders TH. Refractive index and density measurements of peanut oil for determining oleic and linoleic acid contents. JAOCS, Journal of the American Oil Chemists' Society. 2013;90(2):199–206.
- [27]. Ali SM, Yosipovitch G. Skin pH: from basic science to basic skin care. Acta Derm Venereol. 2013;93(3):261–7.
- [28]. Binder L, Mazál J, Petz R, Klang V, Valenta C. The role of viscosity on skin penetration from cellulose ether-based hydrogels. Skin Research and Technology. 2019;25(5):725–34.

ORIGINALITY REPORT

16% SIMILARITY INDEX

8%
INTERNET SOURCES

13% PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

Jacek Łyczko, Anna Kiełtyka-Dadasiewicz, Mariusz Skrzyński, Krzysztof Klisiewicz, Antoni Szumny. "Chemistry Behind Quality - The Usability of Herbs and Spices Essential Oils Analysis in Light of Sensory Studies", Food Chemistry, 2023

1 %

2%

Nelly Safitri, Suprihardi, Ridwan, Teuku Rihayat, Nurhanifa Aidy, Een Setiawati.
"OPTIMIZATION THE PERFOMANCE OF PHOTOVOLTAIC PANELS FOR CITRONELLA OIL DISTILLATION", International Journal of Research -GRANTHAALAYAH, 2022

1 %

www.freepatentsonline.com
Internet Source

Publication

Publication

1 %

Dian Ermawati, Uswatun Chasanah, Cyndy ..
"Formulation of Green Robust Coffee Bean
Extract (Coffee Canephora) in Serum
Preparation Using Gelling Agent Hidroxy
Propyl Methyl Cellulose", KnE Medicine, 2023

5	worldwidescience.org Internet Source	1%
6	archive.org Internet Source	1 %
7	Heri Septya Kusuma, Mahfud Mahfud. "The extraction of essential oils from patchouli leaves (Pogostemon cablin Benth) using a microwave air-hydrodistillation method as a new green technique", RSC Advances, 2017 Publication	1 %
8	ebin.pub Internet Source	1%
9	www.openveterinaryjournal.com Internet Source	1 %
10	www.atlantis-press.com Internet Source	1 %
11	Gelora Helena Augustyn, Anthonia Matjora, Vita N Lawalata, Sophia G Sipahelut. "Isolation and Identification of Essential Oil Made From Kisar Sweet Orange Peels", Tropical Small Island Agriculture Management, 2021 Publication	<1%
12	A Lubis, T Mandang, W Hermawan, Sutrisno. "Characterization of The Yield and Quality of	<1%

Patchouli Oil Based on The Size of Chopping

and Drying Type", IOP Conference Series: Earth and Environmental Science, 2022

Publication

13	F Rahmandari, F Swastawati, R A Kurniasih. "Quality Characteristics of Body Cream with the Addition of Gelatin from Tilapia (Oreochromis niloticus) Scales as an Emulsifier", IOP Conference Series: Earth and Environmental Science, 2021 Publication	<1%
14	Indah Zahara, Agustina Nina. "The Effect of Hand Washing Soap with Soursop Leaf and Guava Leaf Extract on Staphylococcus aureus Bacteria", Jurnal Aisyah: Jurnal Ilmu Kesehatan, 2023	<1%
15	123dok.com Internet Source	<1%
16	gcris.iyte.edu.tr Internet Source	<1%
17	M.T. Da Silva Felício, T. Hald, E. Liebana, A. Allende et al. "Risk ranking of pathogens in	<1%

Lucie Pavlatkova, Jana Sedlarikova, Pavel Pleva, Petra Peer, Ilke Uysal-Unalan, Magda Janalikova. "Bioactive Zein/Chitosan Systems

Publication

<1%

Loaded with Essential Oils for Food Packaging Applications", Journal of the Science of Food and Agriculture, 2022

Publication

Uswatun Chasanah, Faldi Yudastama, Dyah Rahmasari. "Characteristics and Stability of Candle Nut Oil (Aleurites Moluccana) Nanoemulsion Hair Tonic Preparation", KnE Medicine, 2022

<1%

Publication

Ali Shaito, Debora Fairbrother, Jerry Sterling, Nandika Anne D'Souza. "Maleated amorphous ethylene propylene compatibilized polyethylene nanocomposites: Room temperature nonlinear creep response", Polymer Engineering & Science, 2010

<1%

Publication

Publication

Hyungmin Jeon, Jin Seok, Yejee Ha, Jeong-Chul Kim, Hae Sung Cho, Hee-Man Yang, Minkee Choi. "First successful synthesis of an Al-rich mesoporous aluminosilicate for fast radioactive strontium capture", Journal of Hazardous Materials, 2023

<1%

garuda.kemdikbud.go.id

<1%

patents.google.com

Sanitizer Gel Formulation with Laccase Enzyme as an Antibacterial Against Staphylococcus aureus and Escherichia coli", Borneo Journal of Pharmacy, 2022

Publication

Tan Phat Dao, Thanh Viet Nguyen, Thi Yen Nhi Tran, Xuan Tien Le, Ton Nu Thuy An, Nguyen Huu Thuan Anh, Long Giang Bach. "Central Composite Design, Kinetic Model, Thermodynamics, and Chemical Composition of Pomelo (Citrus Maxima (Burm.) Merr.) Essential Oil Extraction by Steam Distillation", Processes, 2021

Publication

Lianfang Yu. "Comparative analysis of volatile constituents in *Citrus Reticulata Blanco* using GC-MS and alternative moving window factor analysis", Journal of Separation Science, 09/11/2009

Publication

Victor P. Debattista. "The Kinematic Signature of Face-on Peanut-shaped Bulges", The Astrophysical Journal, 08/2005

<1%

<1%

<1%

Wissal Dhifi, Wissem Mnif. "Valorization of Some By-Products of Maltese Orange from Tunisia: Peel Essential Oil and Seeds Oil", Analytical Chemistry Letters, 2011

Publication

<1%



Xiaojin Peng, Ning Liu, Mingxia Wang, Bing Liang, Chunte Feng, Renshuai Zhang, Xufu Wang, Xiaokun Hu, Huiyan Gu, Dongming Xing. "Recent advances of kinetic model in the separation of essential oils by microwaveassisted hydrodistillation", Industrial Crops and Products, 2022 <1%

Publication

Exclude quotes

On

Exclude matches

Off

Exclude bibliography